

# TOWEL WARMER





# ALL THERM

CENTRAL WATER HEATING ENERGY  
CE CONTROL CERTIFIED  
THIRD INDUSTRIAL GROUP WORLDWIDE  
**5 YEARS GUARANTY**

# TOWEL WARMER

## STEEL BALNEUM



DIMENSIONS AND THERMAL CHARACTERISTICS

MODEL	ISO 3147 - 3150										A	B	C	D	E	ØF	G	H	WATER CAPACITY	WEIGHT PER ELEMENT
	ΔT = 60°C			ΔT = 50°C			ΔT = 40°C			η										
	WATT	KCAL/H	BTU/H	WATT	KCAL/H	BTU/H	WATT	KCAL/H	BTU/H											
STEEL BALNEUM											MM	MM	MM	MM	MM	MM	MM	LITRE	KG	
60x50-12	442	380	1507	350	301	1193	262	226	896	1272	545	573	30	40	500	25	1/2	63	4.3	5.9
80x50-15	546	470	1865	433	373	1479	326	281	1114	1265	545	773	30	40	500	25	1/2	63	5.4	7.5

Output in Watt/hr a 60°C room temperature through tests according ISO 3147-3150.

Other Output Q = Qu  $\left(\frac{\Delta \tau}{60}\right)^\eta$



## ALL THERM (GIBRALTAR) LTD

### HEADQUARTERS :

World Trade Center  
6 Bayside Road 1st Floor - Unit 1.02  
GX1 1AA Gibraltar  
☎ (+350) 200 60207  
✉ info@alltherm.group

### SALES MANAGER :

Javier *Martinez* Lesmes  
C/ López Bravo 7. Naves CAM 45  
09001 Burgos  
☎ (+34) 639 324 269  
✉ j.martinez@alltherm.group

