

# RADIATORS



# ALL THERM

ELEMENTS PAINTED WITH CATAPHORESIS DOUBLE LAYER  
THIRD WORLD WIDE INDUSTRIAL GROUP  
CE CONTROL CERTIFICATION

**10 YEARS GUARANTY**




# ALUMINIUM RADIATOR

# KAL



RAL  
9010



### DIMENSIONS Y THERMAL CHARACTERISTICS

MODEL	ISO 3147 - 3150										A	B	C	D	E	F	G	WATER CAPACITY	WEIGHT PER ELEMENT
	ΔT = 60°C			ΔT = 50°C			ΔT = 40°C			η									
	WATT	KCAL/H	BTU/H	WATT	KCAL/H	BTU/H	WATT	KCAL/H	BTU/H										
KAL											MM	MM	MM	MM	MM	MM	INCH	LITRE	KG
350	138	119	472	108	93	369	80	69	273	1,323	429	350	97	80	25	120	1	0.34	1,2
500	177	152	603	138	119	472	102	88	349	1,335	579	500	97	80	25	120	1	0.46	1,5
600	202	174	690	158	136	539	116	100	396	1,348	679	600	97	80	25	120	1	0.52	1,7

Output in Watt/hr room temperature through tests according ISO 3147-3150.

Other Output Q = Qu  $\left(\frac{\Delta \tau}{60}\right)^\eta$

Maximun Operating Pressure: 800 KPa - Surface Temperature: 120 °C maximum



Version: 05/2018





## ALL THERM (GIBRALTAR) LTD

### HEADQUARTERS :

World Trade Center  
6 Bayside Road 1st Floor - Unit 1.02  
GX1 1AA Gibraltar  
☎ (+350) 200 60207  
✉ info@allthermgroup.com

### SALES MANAGER :

Javier *Martinez* Lesmes  
C/ López Bravo 7. Naves CAM 45  
09001 Burgos  
☎ (+34) 639 324 269  
✉ j.martinez@allthermgroup.com

