

RADIATORS



ALL THERM



ELEMENTS PAINTED WITH CATAPHORESIS DOUBLE LAYER
THIRD WORLD WIDE INDUSTRIAL GROUP
CE CONTROL CERTIFICATION

10 YEARS GUARANTY



STEEL RADIATOR

PANEL



DIMENSIONS Y THERMAL CHARACTERISTICS										
MODEL	H (MM)	A (MM)	η	L (MM)						
				600	800	1000	1200	1400	1600	1800
PANEL				OUTPUT WATT						
22 (PKKP)				$\Delta t = 60^\circ \text{C}$						
	600	550	1.2930	1085	1450	1810	2170	2535	2896	3260
				$\Delta t = 50^\circ \text{C}$						
	600	550	1.2930	857	1145	1430	1714	2003	2288	2575
				$\Delta t = 40^\circ \text{C}$						
	600	550	1.2930	642	858	1072	1285	1501	1714	1930

Output in Watt/hr 60°C room temperature through tests according ISO 3147-3150.

$$\text{Other Output } Q = Q_u \left(\frac{\Delta \tau}{60} \right)^\eta$$



ALL THERM (GIBRALTAR) LTD

HEADQUARTERS :

World Trade Center
6 Bayside Road 1st Floor - Unit 1.02
GX1 1AA Gibraltar
☎ (+350) 200 60207
✉ info@allthermgroup.com

SALES MANAGER :

Javier *Martinez* Lesmes
C/ López Bravo 7. Naves CAM 45
09001 Burgos
☎ (+34) 639 324 269
✉ j.martinez@allthermgroup.com

