

RADIATORS





ALL THERM

ELEMENTS PAINTED WITH CATAPHORESIS DOUBLE LAYER
THIRD WORLD WIDE INDUSTRIAL GROUP
CE CONTROL CERTIFICATION

10 YEARS GUARANTY

STEEL RADIATOR

PANEL



DIMENSIONS Y THERMAL CHARACTERISTICS

MODEL	H (MM)	A (MM)	η	L (MM)						
				600	800	1000	1200	1400	1600	1800
PANEL				OUTPUT	OUTPUT	OUTPUT	OUTPUT	OUTPUT	OUTPUT	OUTPUT
22 (PKKP)				Δt = 60° C						
	400	350	1.2827	785	1050	1310	1570	1834	2095	2360
	555	500	1.2899	990	1230	1650	1980	2170	2640	2950
	600	550	1.2930	1085	1450	1810	2170	2535	2896	3260
				Δt = 50° C						
	400	350	1.2827	621	831	1037	1243	1452	1658	1868
	555	500	1.2899	783	1043	1304	1565	1715	2087	2332
	600	550	1.2930	857	1145	1430	1714	2003	2288	2575
				Δt = 40° C						
	400	350	1.2827	467	624	779	933	1090	1245	1403
	555	500	1.2899	587	782	978	1174	1286	1565	1749
	600	550	1.2930	642	858	1072	1285	1501	1714	1930

Output in Watt/hr 60°C room temperature through tests according ISO 3147-3150.

* SIZES UNDER SPECIAL ORDER

$$\text{Other Output } Q = Q_u \left(\frac{\Delta \tau}{60} \right)^{1.7}$$



ALL THERM (GIBRALTAR) LTD

HEADQUARTERS :

World Trade Center
6 Bayside Road 1st Floor - Unit 1.02
GX1 1AA Gibraltar
☎ (+350) 200 60207
✉ info@alltherm.group

SALES MANAGER :

Javier *Martinez* Lesmes
C/ López Bravo 7. Naves CAM 45
09001 Burgos
☎ (+34) 639 324 269
✉ j.martinez@alltherm.group

