

RADIATORS



ALL THERM



ELEMENTS PAINTED WITH CATAPHORESIS DOUBLE LAYER
THIRD WORLD WIDE INDUSTRIAL GROUP
CE CONTROL CERTIFICATION

10 YEARS GUARANTY



ALUMINIUM RADIATOR

MAXI



DIMENSIONS Y THERMAL CHARACTERISTICS

MODEL	ISO 3147 - 3150 / CE EN-442							A	B	C	D	E	F	G	WATER CAPACITY	WEIGHT PER ELEMENT
	ΔT = 60°C		ΔT = 50°C		ΔT = 40°C		η									
	WATT	KCAL/H	WATT	KCAL/H	WATT	KCAL/H										
MAXI								MM	MM	MM	MM	MM	MM	INCH	LITRE	KG
350	98.2	84.5	77.9	67	58.7	50.5	1.324	419	350	80	74	25	120	1	0.28	0.88
500	128	110	101	86.9	75.6	65	1.320	568	500	80	74	25	120	1	0.34	0.108
600	148	127	117	101	87.5	75.3	1.285	668	600	80	74	25	120	1	0.39	1.30

Output in Watt/hr room temperature through tests according ISO 3147-3150.

Other Output $Q = Q_u (\Delta t/60)^\eta$

Maximun Operating Pressure: 800 KPa - Surface Temperature: 120 °C maximum



ALL THERM (GIBRALTAR) LTD

HEADQUARTERS :

World Trade Center
6 Bayside Road 1st Floor - Unit 1.02
GX1 1AA Gibraltar
☎ (+350) 200 60207
✉ info@allthermgroup.com

SALES MANAGER :

Javier *Martinez* Lesmes
C/ López Bravo 7. Naves CAM 45
09001 Burgos
☎ (+34) 639 324 269
✉ j.martinez@allthermgroup.com

